



| Basis and Practice in Programming week2



Type of Variables (1/2)

- Many types in C language
 - Integer, Character, Floating-point ...
- **int**
 - Integer type variable
 - 4 bytes of memory space
- **char**
 - Character type variable
 - 1 byte of memory space
- **float**
 - Real number type variable
 - 4 bytes of memory space

Type of Variables (2/2)

```
/* Week 2 practice 1
 * size of each variables */
#include <stdio.h>

int main(void)
{
    printf("int : %d\n", sizeof(int));
    printf("long : %d\n", sizeof(long));
    printf("char : %d\n", sizeof(char));
    printf("float : %d\n", sizeof(float));
    printf("double : %d\n", sizeof(double));

    return 0;
}
```

Declare Variables

- Declaration
 - Every variables must be declared before using
 - Usage : <keyword> <name of variable>

```
/* Week 2 practice 2
 * Declare variables */
#include <stdio.h>

int main(void)
{
    a = 10;
    printf("a = %d\n", a);

    return 0;
}
```

Declare Variables

- Declaration
 - Every variables must be declared before using
 - Usage : <keyword> <name of variable>

```
/* Week 2 practice 2
 * Declare variables */
#include <stdio.h>

int main(void)
{
    a = 10;
    printf("a = %d\n", a);

    return 0;
}
```

```
/* Week 2 practice 3
 * Declare variables */
#include <stdio.h>

int main(void)
{
    int a;
    a = 10;

    printf("a = %d\n", a);

    return 0;
}
```

Name of Variables (1/2)

- Composed of Alphabet, number and under-bar(_)
- Capital letter is not equal to small letter
 - **int** a and **int** A are different variable
 - **Int** (x) **int** (o), **float** (o) **Float** (x)
- Start character of name of variable
 - Must not use numbers
- Special keyword and space character are not allowable

Name of Variables (2/2)

```
/* Week 2 practice 4
 * Name of variables */
#include <stdio.h>

int main(void)
{
    int a;
    int A;
    int int_a; //correct
    //float int //wrong
    char c, d; //declaration of two variables at the same time

    return 0;
}
```

scanf() and printf() (1/3)

- Input/Output function
 - Declared in standard input output header file (stdio.h)
- Formatted scan function : scanf
 - Usage : `scanf("<input type>", &<variable>);`
- Formatted print function : printf
 - Usage : `printf("<output type>", <variable>);`
- Input/output type
 - %d : decimal number, %c : character

scanf() and printf() (2/3)

```
/* Week 2 practice 5
 * Name of variables */

#include <stdio.h>
int main(void)
{
    int result;
    int val1, val2;
    char c = 'k';

    printf("First number : ");
    scanf("%d", &val1);
    printf("Second number : ");
    scanf("%d", &val2);

    result = val1 + val2;
    printf("%c\n", c);
    printf("%d + %d = %d\n", val1, val2, result);

    return 0;
}
```

scanf() and printf() (3/3)

```
/* Week 2 practice 6
 * Name of variables */

#include <stdio.h>
int main(void)
{
    int result;
    int val1, val2;

    scanf("%d %d", &val1, &val2); //separated by space

    result = val1 + val2;

    printf("%d + %d = %d \n", val1, val2, result);

    return 0;
}
```

Arithmetic Operation (1/2)

- Addition
 - Usage : $\text{result} = a + b$;
- Subtraction
 - Usage : $\text{result} = a - b$;
- Multiply
 - Usage : $\text{result} = a * b$;
- Division
 - Usage : $\text{result} = a / b$;
- Modular
 - Usage : $\text{result} = a \% b$;

```
/* Week 2 practice 7
 * Arithmetic operation */
#include <stdio.h>

int main(void)
{
    int a, b, result;
    a = 10, b = 3;

    result = a + b;
    printf("%d + %d = %d\n", a, b, result);
    result = a - b;
    printf("%d - %d = %d\n", a, b, result);
    result = a * b;
    printf("%d * %d = %d\n", a, b, result);
    result = a / b;
    printf("%d / %d = %d\n", a, b, result);
    result = a % b;
    printf("%d %% %d = %d\n", a, b, result);

    return 0;
}
```

Arithmetic Operation (2/2)

```
/* Week 2 practice 8
 * Arithmetic operation */
#include <stdio.h>

int main(void)
{
    int a, b;
    a = 10, b = 3;

    a += b; // same as a = a + b
    printf("%d\n", a);
    a -= b; // same as a = a - b
    printf("%d\n", a);
    a *= b; // same as a = a * b
    printf("%d\n", a);
    a /= b; // same as a = a / b
    printf("%d\n", a);
    a %= b; // same as a = a % b
    printf("%d\n", a);

    return 0;
}
```

Exercise (1/3)

- Compile
 - `gcc <filename>.c -o <output>`
 - `$gcc practice1.c -o practice1`
- Make output file
 - `./practice1 < input_ex1.txt > output_ex1.txt`
- Diff command
 - You must check your output by sample output
 - `$diff output_ex1.txt sample_output.txt`
 - If any message isn't printed, submit your code to I-campus

Exercise (2/3)

- Practice
 - Compile practice6.c file
 - `$gcc practice6.c -o practice6`
 - Download sample input file / output file
 - Make output file
 - Check your output file with sample output file through diff command



Exercise (3/3)

- Week2 exercise
 - Simple arithmetic operating program
 - Enter two numbers
 - Print each results of operation '+', '-', '*', '/' and '%' at new line
 - All outputs must be **INTEGER** format
 - Due date : Today's 11:59 PM
 - Submit to I-campus

Input

1 3

Output

4

-2

3

0

1