

Lexical Elements, Operators, and the C System

C overview recap

- functions
 - structured programming
 - return value is typed
 - arguments(parameters)

```
float minimum(float x, float y)
{
    if (x < y)
        return x;
    else
        return y;
}
```

- pointers

```
char *p, s[100], **twod;
```

- files

```
ifp = fopen("my file", "r");
```

Syntax and Compiler

```
#include <stdio.h>

int main(void)
{
    int i = 1, sum = 0;

    while (i <= 5) {
        sum += i;
        ++i;
    }
    printf("sum = %d\n", sum);
    return 0;
}
```



C compiler



a.out

- The compiler understands some words and a simple grammar
- words
 - 32 keywords: if, int, return,
 - identifier; i, sum
 - constants: 1, 0, 5
 - string: "sum = %d\n"
 - operators: =, <=, +=, ++
- grammar
 - keyword identifier ;
 - while (expression) statement | statements

Compiler

- Task
 - generate a binary file from a source file
- 1. check if all the words are correct (lexical analyzer)
- 2. check if the grammar is correct (syntax analyzer)
- 3. optimization
- 4. code generation

Identifiers

- `<identifier> ::=`
 - `<letter>`
 - | `<identifier> <letter>`
 - | `<identifier> <digit>`
 - underscore is a letter in C
- some identifiers are used in the library
 - `printf`, `scanf`, `fopen`, `sqrt`, `pow`, `exp`, `sin`, ..
 - `_print`

Constants

- integer
 - 17 is a decimal
 - 017 is an octal
 - 0x1F is a hexadecimal
- floating
 - 1.0
 - 3.14
- character 'a', '7', '+', '\n'

String Constant

- “any thing you can put here”
- special character should be preceded by a backslash
- it's an array of characters
- library functions for strings
 - strcat, strcmp, strcpy, strlen

Operators

- Although C has very few keywords, it has a large number of operators

() [] ->

! ~ ++ -- + - * / % & (type) sizeof

* / %

+ -

<< >>

< <= > >=

== !=

& ^ |

&& ||

k = (n > 0) ? a : b;

= +=

Precedence

- $1 + 2 - 3 + 4 - 5$ /* left to right */
- $1 + 2 * 3$
- $(1 + 2) * 3$
- $j * = k = m + 5$ /* right to left */
- $k++--$ /* left to right */
- $++--k$ /* right to left */

Increment and Decrement

- `i++` and `++i` are different
- Exercises

```
int a=1, b=2, c=3, d=4;
```

```
a*b/c
```

```
a*b%c+1
```

```
++a * b - c
```

```
7 - -b * ++d
```

Strange Assignments

```
a = (b = 2) + (c = 3);
```

```
a = b = c = 0;
```

```
j *= k + 3;
```

```
/* j = j*(k+3) OR i = i*k + 3 */
```

```
j *= k = m + 5;
```

```
/* Some powers of 2 are printed. */  
  
#include <stdio.h>  
  
int main(void)  
{  
    int i = 0, power = 1;  
  
    while (++i <= 10)  
        printf("%6d", power *= 2);  
    printf("\n");  
    return 0;  
}
```

C Environments

- header files
 - usually contain only function prototype, NOT function code
 - then, where are the codes?
 - standard library is linked automatically
 - you should specify other libraries (math)

```
#include <stdio.h>
#include <stdlib.h>
```

```
int main(void)
{
    int i, n;

    printf("\n%s\n%s",
        "Some randomly distributed integers will be printed.",
        "How many do you want to see? ");
    scanf("%d", &n);
    for (i = 0; i < n; ++i) {
        if (i % 10 == 0)
            putchar('\n');
        printf("%7d", rand());
    }
    printf("\n\n");
    return 0;
}
```

gcc compiler

- gcc OR g++ are popular
 - C++ is a superset of C
- they call
 1. preprocessor
 2. compiler
 3. assembler
 4. linker

The **GNU Project** is a [free software](#), [mass collaboration](#) project, announced on September 27, 1983, by [Richard Stallman](#) at [MIT](#) - wikipedia

gcc options

- perform parts of 4 steps
- specify output files and format; "gcc xxx.c -o x"
- -ansi OR specify differences
- warning options " -w"
- debugging options " -g " "-ggdb" "-g3"
- optimization "-O0" "-O2"
- preprocessor options
- assembler options
- linker options "-lm"
-