

Shells

Jin-Soo Kim (jinsookim@skku.edu)
Computer Systems Laboratory
Sungkyunkwan University
<http://csl.skku.edu>



Multitasking (1)

- **System runs many processes concurrently.**
 - Process: executing program
 - State consists of memory image + register values + PC
 - Continually switches from one process to another
 - Suspend process when it needs I/O resource or timer event occurs
 - Resume process when I/O available or given scheduling priority
 - Appears to user(s) as if all processes executing simultaneously
 - Even though most systems can only execute one process at a time
 - Except possibly with lower performance than if running alone

Multitasking (2)


- **Programmer's model of multitasking**
 - **fork()** spawns new process
 - Called once, returns twice
 - **exit()** terminates own process
 - Called once, never returns
 - Puts it into "zombie" status
 - **wait()** and **waitpid()** wait for and reap terminated children
 - **execl()** and **execve()** run a new program in an existing process
 - Called once, (normally) never returns

Multitasking (3)

■ Programming Challenges


- Understanding the nonstandard semantics of the functions.
- Avoiding improper use of system resources.
 - “Fork bombs”
 - Zombie processes not reaped by parents, etc.

Unix Process Hierarchy




Unix Startup: Step 1

1. Pushing reset button loads the PC with the address of a small bootstrap program.
2. Bootstrap program loads the boot block (disk block 0).
3. Boot block program loads kernel binary (e.g., /boot/vmlinux)
4. Boot block program passes control to kernel.
5. Kernel handcrafts the data structures for process 0.




Unix Startup: Step 2




`init` forks and execs daemons per `/etc/inittab`, and forks and execs a `getty` program for the console

Unix Startup: Step 3



The **getty** process execs a **login** program

Unix Startup: Step 4



login reads login and passwd.
if OK, it execs a *shell*.
if not OK, it execs another
getty

Shell

■ Definition

- An application program that runs programs on behalf of the user
 - sh: Original Unix Bourne Shell
 - csh: BSD Unix C Shell
 - tcsh: Enhanced C Shell
 - bash: Bourne-Again Shell

Execution is a sequence of read/evaluate steps

```
int main()
{
    char cmdline[MAXLINE];

    while (1) {
        /* read */
        printf("> ");
        fgets(cmdline, MAXLINE,
             stdin);
        if (feof(stdin))
            exit(0);

        /* evaluate */
        eval(cmdline);
    }
}
```

Simple Shell Example (1)

```
void eval(char *cmdline) {
    char *argv[MAXARGS]; /* argv for execve() */
    int bg;               /* should the job run in bg or fg? */
    pid_t pid;           /* process id */

    bg = parseline(cmdline, argv);
    if (!builtin_command(argv)) {
        if ((pid = fork()) == 0) { /* child runs user job */
            if (execve(argv[0], argv, environ) < 0) {
                printf("%s: Command not found.\n", argv[0]);
                exit(0);
            }
        }
        if (!bg) { /* parent waits for fg job to terminate */
            int status;
            if (waitpid(pid, &status, 0) < 0)
                unix_error("waitfg: waitpid error");
        }
        else /* otherwise, don't wait for bg job */
            printf("%d %s", pid, cmdline);
    }
}
```

Simple Shell Example (2)

■ Problem with Simple Shell example

- Shell correctly waits for and reaps foreground jobs.
- But what about background jobs?
 - Will become zombies when they terminate.
 - Will never be reaped because shell (typically) will not terminate.
 - Creates a memory leak that will eventually crash the kernel when it runs out of memory.

■ Solution

- Reaping background jobs requires a mechanism called a **signal**.

Summary



- **Shell**
 - Command line interpreter
 - User-level program
 - Text vs. Graphical